JIC TYPE RESERVOIRS

STYLE RB REMOVABLE BAFFLE

The Style RB Series JIC type reservoirs are constructed with a welded top and clean-out access on each end. The reservoir design incorporates a lengthwise, removable baffle positioned between opposing clean-out openings. For more thorough cleaning, the baffle can be removed through clean-out opening. Each reservoir is supplied with a sight gage, filler breather and access covers.


Standard Features:

- 1. (1) 5 inch G1620 Series sight gage
- 2. (1) Riser with filler breather
- Bayonet style 40 micron3. (2) Steel access covers with gaskets
- 4. Removable baffle
- 5. 3/4 inch NPT drain with plug on (1) access cover
- 6. Exterior of reservoir prime painted
- 7. Interior of reservoir coated with rust preventative oil


CAUTION:

• Reservoirs are not designed for internal positive or negative pressure applications. For these applications, consult the factory.

- 8. Materials:
 - Carbon steel reservoir
 - Buna N seals
 - Aluminum sight gage
 - Zinc plated fill cap with nylon strainer basket
- **NOTE** Drain plugs need to be sealed and tightened before use
 - Sight gage and filler breather shipped loose inside reservoir
 - Industry accepted design practice for hydraulic systems limits maximum operating temperature to 180° F (82° C), but materials used for fabrication of the reservoirs are capable of operating between -40° and 250° F (-40° and 121° C)



NOTE: All dimensions are inches [mm]





Tank Dimensions (inches)										
Capacity (gal)	Part No	A Length	B Height	C Width	Mounting Centers		Access Cover	Material Thickness End Top		Piece Weight (Ib)
(gar) 10	V19910	24.00	18.00	16.00	20.25	14.50	12.00	11 Ga	7 Ga	80
15	V19915	26.00	19.00	18.00	22.25	16.50	12.00	7 Ga	7 Ga	105
20	V19920	32.00	18.00	21.00	28.12	19.50	12.00	11 Ga	7 Ga	124
30	V19930	36.00	19.38	24.00	32.25	22.50	12.00	7 Ga	7 Ga	178
40	V19940	36.00	21.00	24.00	32.25	22.50	12.00	7 Ga	7 Ga	190
50	V19950	36.00	23.00	24.00	32.25	22.50	12.00	7 Ga	7 Ga	200
60	V19960	38.00	25.00	25.00	34.25	23.50	18.00	7 Ga	.25	242
80	V19980	47.00	26.88	30.00	43.25	28.50	18.00	7 Ga	.25	365
100	V199100	47.00	29.00	30.00	43.25	28.50	18.00	7 Ga	.25	375
120	V199120	60.00	27.00	30.00	56.25	28.50	18.00	7 Ga	.38	512
150	V199150	60.00	31.00	30.00	56.25	28.50	18.00	7 Ga	.38	523
200	V199200	72.00	29.00	36.00	68.25	34.50	18.00	.25	.38	769
300	V199300	82.00	29.00	48.00	77.00	45.00	18.00	.25	.50	1306

Dimensions and specifications are subject to change without notice. Not all items are Made-To-Stock, contact us for availability.



