

SW430 FOOD GRADE SUCTION HOSE - NITRILE TUBE

Meets FDA, USDA, 3A, and PMO sanitary requirements.




- High grade, premium quality sanitary suction and discharge hose designed for a variety of food applications.
- Dual helix design provides full vacuum capabilities.
- Lightweight construction offers flexibility for handling ease.
- All purpose abrasion resistant cover provides excellent protection against oily foods, mild chemicals and ozone.
- Manufactured on stainless steel mandrels for an ultra-smooth bacteria free tube that will not impart taste or odor.

Tube: Extruded white Nitrile.
Reinforcement: Textile with dual wire helix.
Cover: Gray Nitrile.
Temperature: -40° to +180°F.

I.D.	O.D.	BEND RADIUS	WORKING PRESSURE PSI	WEIGHT LB/FT	VACUUM
1 1/2"	2 1/8"	6"	150	1.01	Full
2"	2 5/8"	7"	150	1.41	Full
2 1/2"	3 3/16"	8"	150	1.89	Full
3"	3 11/16"	9"	150	2.39	Full
4"	4 13/16"	12"	150	3.59	Full

SW431 FLOUR HOSE - 3/16" NATURAL RUBBER TUBE

Meets FDA, USDA, 3A, and PMO sanitary requirements.



- Superior quality suction and discharge food hose designed for flour, sugar, and other dry abrasive food products where an FDA sanitary hose is required.
- Lightweight construction provides easy handling.
- Dual wire reinforcement provides full vacuum capabilities.
- Abrasion resistant cover resists ozone deterioration.
- Manufactured on stainless steel mandrels for an ultra-smooth bacteria free tube that will not impart taste or odor.

Tube: Extruded white Natural Rubber.
Reinforcement: Textile with dual wire helix.
Cover: Gray specially compounded Natural Rubber.
Temperature: -20° to +150°F.

I.D.	O.D.	BEND RADIUS	WORKING PRESSURE PSI	WEIGHT LB/FT	VACUUM
4"	4 3/4"	14"	100	3.04	Full
5"	5 3/4"	20"	100	3.90	Full